

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions,
and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended) A safety device for a fall
restraint, comprising:

anchoring means to which the fall restraint can be
coupled directly or indirectly; ~~and~~

fastening means that make a firm and durable connection
to a wall, the fastening means comprise a flexible fastening flap
which forms part of an optionally unrolled roll of roof-covering
material; and from which

a fastening net ~~extends~~ incorporated in the roll of
roof covering material, and extending from the fastening flap,

wherein the anchoring means are connected via the
fastening net to the flexible fastening flap.

2. (previously presented) The safety device as
claimed in claim 1, wherein the fastening net is polygonal shaped
and is attached to the fastening flap at more than one side of
said polygonal shape.

3. (previously presented) The safety device as claimed in claim 1, wherein the fastening net is integrated in the fastening flap.

4. (previously presented) The safety device as claimed in claim 1, wherein the fastening net is strengthened with longitudinal threads and transverse threads.

5. (previously presented) The safety device as claimed in claim 1, wherein the fastening net is manufactured at least partially from plastic or metal.

6. (cancelled)

7. (currently amended) The safety device as claimed in claim [[6]] 1, wherein the roof-covering material comprises a material from a group of plastic and bitumen.

8. (currently amended) The safety device as claimed in claim [[6]] 1, wherein the fastening net is fixed to an inlay in the roof-covering material and is incorporated simultaneously therewith in the roof-covering material.

9. (withdrawn - previously presented) The safety device as claimed in claim 1, wherein the anchoring means comprise a resilient construction.

10. (previously presented) The safety device as claimed in claim 1, wherein the anchoring means comprise a fixing eyelet, ring or loop.

11. (previously presented) The safety device as claimed in claim 2, wherein the fastening net is strengthened with longitudinal threads and transverse threads.

12. (previously presented) The safety device as claimed in claim 3, wherein the fastening net is strengthened with longitudinal threads and transverse threads.

13. (previously presented) The safety device as claimed in claim 2, wherein the fastening net is manufactured at least partially from plastic or metal.

14. (previously presented) The safety device as claimed in claim 3, wherein the fastening net is manufactured at least partially from plastic or metal.

15. (previously presented) The safety device as claimed in claim 4, wherein the fastening net is manufactured at least partially from plastic or metal.

16-19. (cancelled)

20. (withdrawn - previously presented) The safety device as claimed in claim 2, wherein the anchoring means comprise a resilient construction.